



## AI-Enabled Real – Time Speech to Sign Language Conversions System Using Animated Avatars.

<sup>1</sup>Mrs. Abinaya N, <sup>2</sup> Kalaivani. C, <sup>3</sup>Kenish.K, <sup>4</sup>Mohamed Noorul Irfan.M, <sup>5</sup>Pragin Barath.M

<sup>1</sup> Assistant Professor, Department of Computer Science and Engineering,  
Hindusthan Institute of Technology, Coimbatore.

<sup>2,3,4,5</sup> UG student, Department of Computer Science and Engineering,  
Hindusthan Institute of Technology, Coimbatore.

<sup>1</sup> abinaya.n@hit.edu.in, <sup>2</sup> kalaivanic2002@gmail.com, <sup>3</sup> kenishkamalesh@gmail.com,  
<sup>4</sup> mohamednoorulirfan728@gmail.com, <sup>5</sup>praginbarath.m@gmail.com

**Abstract:** Communication barriers faced by individuals with hearing impairments significantly impact their daily interactions. This paper presents a Speech-to-Sign Translation and Accessibility System that leverages Artificial Intelligence (AI) and Natural Language Processing (NLP) to convert spoken language into real-time sign language. The system uses speech recognition algorithms to capture and process spoken words, which are then translated into sign language gestures and displayed through an animated avatar. By integrating machine learning models with a gesture synthesis engine, it ensures accurate and context-aware translations. Additionally, the system provides a user-friendly interface to enhance accessibility, aiming to bridge communication gaps, promote inclusivity, and enable seamless interaction for the deaf and hard-of-hearing community in both public and private environments.

**Keywords-** Speech-to-sign translation, ASR, NLP, 3D avatar, sign language synthesis

### INTRODUCTION

Communication barriers remain a significant challenge for individuals with hearing and speech impairments, particularly during government functions and public events. Traditional sign language interpretation depends on human experts, making it resource-intensive, inconsistent, and often unavailable. This limitation reduces accessibility and inclusivity, preventing effective participation in important discussions. Existing approaches such as manual interpretation and basic translation systems lack scalability and real-time adaptability.

To address these challenges, we propose a translation system that leverages Automatic Speech Recognition (ASR), Natural Language Processing (NLP), and 3D animated avatars. The system enables seamless, real-time conversion of spoken language into sign language, ensuring accurate and accessible communication. AI-driven models provide context-aware translation, improving both accuracy and the natural flow of sign language. Additionally, machine learning algorithms enhance adaptability, allowing the system to learn and refine translations over time.

The system uses speech recognition algorithms to convert audio input into text, which is then processed by a sign language generation model that animates gestures using a virtual avatar or robotic hands. Compared to traditional methods like human interpreters and captions, which are not always available or efficient, this real-time solution significantly enhances accessibility. It promotes inclusivity for the deaf and hard-of-hearing community across education, healthcare, government services, and everyday interactions.



## **LITERATURE SURVEY**

Recent advancements in Artificial Intelligence (AI), Natural Language Processing (NLP), and deep learning have significantly improved speech-to-sign language translation systems. Kundu *et al.* [1] proposed a deep learning-based system integrating NLP and Convolutional Neural Networks (CNNs) to convert speech into sign language using animated avatars, achieving high accuracy and real-time performance.

Kumar and Sharma [2] developed a real-time system combining speech recognition, NLP, and computer vision techniques, improving translation speed and responsiveness. Park *et al.* [3] explored neural network architectures and demonstrated that transformer-based models outperform traditional Recurrent Neural Networks (RNNs) in generating accurate sign sequences.

Zhang *et al.* [4] introduced a cloud-based system integrating Automatic Speech Recognition (ASR) with scalable sign language databases, enabling real-time translation in public service applications. Wilson and Cooper [5] improved sign language animation using Generative Adversarial Networks (GANs), producing more natural and expressive gestures.

Thomas *et al.* [6] developed a real-time system using 3D avatars and motion capture techniques, enhancing translation clarity and user experience. Chen *et al.* [7] improved gesture recognition accuracy using deep learning models, while Singh and Gupta [8] proposed AI-based assistive communication systems for deaf and mute individuals.

Lee *et al.* [9] utilized transformer-based models for efficient text-to-sign generation, improving contextual understanding. Brown *et al.* [10] integrated speech recognition with sign language models for real-time communication.

Kim *et al.* [11] combined Convolutional Neural Networks (CNN) and Long Short-Term Memory (LSTM) models for robust sign language recognition. Verma and Patel [12] proposed a smart AI-based communication system focusing on usability and accessibility for hearing-impaired users.

Liu *et al.* [13] developed an end-to-end neural network model for sign language translation, eliminating the need for intermediate steps. Mehta *et al.* [14] focused on real-time gesture recognition using computer vision techniques, improving detection speed and accuracy.

Roy and Das [15] proposed a speech-to-text and text-to-sign conversion system that ensures structured translation. Ali *et al.* [16] introduced AI-based virtual avatars for expressive and realistic sign communication.

Gupta *et al.* [17] developed an IoT-based assistive communication system integrating sensors and AI for enhanced interaction. Wang *et al.* [18] introduced multimodal systems combining speech, text, and visual inputs to improve translation accuracy.

Johnson *et al.* [19] proposed a machine learning-based automated sign language interpretation system, improving efficiency and reducing human dependency. Rao *et al.* [20] developed a real-time AI-based system designed for public applications, ensuring scalability and adaptability.

Recent studies emphasize lightweight AI models, edge computing, and improved datasets to enhance real-time performance and adaptability. Overall, integrating AI, deep learning, and advanced animation techniques improves accuracy, scalability, and usability, promoting accessibility and inclusivity.

## PROPOSED SYSTEM

The proposed AI-powered Speech-to-Sign Translation System enhances accessibility by converting spoken language into real-time sign language using speech recognition, NLP, and animated avatars. The system ensures seamless communication for the deaf and hard-of-hearing community by interpreting speech into accurate sign gestures instantly. The system utilizes microphones and speech-to-text AI to capture spoken words, which are processed using Natural Language Processing (NLP) to identify context and meaning. The translated text is then converted into sign language animations using a 3D avatar or gesture-based display, making interactions more engaging and efficient. For real-time responsiveness, the system integrates machine learning algorithms to improve translation accuracy, ensuring that nuances in speech are correctly interpreted into sign language. Users can customize sign language preferences based on regional variations, making the tool adaptable for different communities. A mobile app or web platform provides voice input options and allows users to adjust speed and sign clarity for better comprehension. Additionally, AI-driven gesture recognition enables the system to translate sign language back into text or speech, facilitating two-way communication between sign and non-sign users. By combining AI, speech processing, and sign animation technology, this system creates an inclusive, efficient, and real-time communication tool, significantly improving accessibility for the deaf and hard-of-hearing community.




Figure 1: System Architecture Of AI – Enabled Real - Time Speech to Sign Language Conversion System Using Animated Avatars.

The system consists of multiple modules that work together to perform real-time translation. The speech recognition module captures spoken input through a microphone and converts it into text using a Speech Recognition API. The NLP module then processes this text by removing unnecessary words and extracting meaningful keywords using techniques such as tokenization and lemmatization. The sign mapping module matches the processed text with a predefined dataset of sign language animations. Finally, the display module presents the corresponding sign language gestures to the user.




through a web interface, while the backend manages data flow and communication between all system components. The entire system operates in real time, ensuring fast and efficient conversion from speech or text into sign language. It is fully automated, reducing dependency on human interpreters and overcoming the limitations of traditional communication methods. This Speech-to-Sign Language Translation System enhances assistive communication technologies by enabling effective interaction between hearing and hearing-impaired individuals, thereby promoting accessibility, inclusivity, and seamless communication in everyday life.

## RESULTS AND DISCUSSION

The proposed AI-based sign language translation system significantly improves communication accessibility for individuals with hearing impairments by converting spoken or written language into real-time sign language gestures. The system demonstrates effective performance in capturing input through speech or text and accurately translating it into meaningful sign representations using deep learning techniques. The integration of Artificial Intelligence, Natural Language Processing (NLP), and computer vision enables the system to understand context and generate precise sign language outputs. The use of gesture recognition sensors and AI-driven models ensures that the generated gestures are natural and easy to understand. Experimental results indicate high accuracy and real-time responsiveness, making it suitable for practical applications.

Furthermore, the system reduces dependency on human interpreters and overcomes limitations of traditional communication methods. It enhances interaction in education, workplaces, healthcare, and public services by enabling seamless communication between hearing and hearing-impaired individuals. The results confirm that the proposed system is efficient, scalable, and promotes inclusivity in everyday communication.

Performance Evaluation of Speech-to-Sign Language Translation System



Another major advantage of the proposed Speech-to-Sign Language Translation System is its ability to provide accurate and real-time translation without human assistance. By leveraging speech recognition and Natural Language Processing (NLP) techniques, the system extracts meaningful words and converts them into appropriate sign language representations, thereby improving communication between hearing individuals and those with hearing impairments.

The system was evaluated based on usability and performance. It offers a simple and user-friendly interface that allows users to provide speech or text input and view the translated output easily. The



integration of artificial intelligence, speech processing, and NLP enhances the system's efficiency. Experimental results indicate that the system performs reliably and delivers accurate translations. Furthermore, the system was tested under various input conditions to evaluate consistency. The speech recognition module effectively handled different speaking speeds and accents, while the NLP module successfully processed diverse sentence structures and extracted key terms. This adaptability improves system performance over time.

In addition, the system can process multiple words and display corresponding sign language animations sequentially. Each word in a sentence is translated step by step, making the system suitable for real-time communication. Efficient data handling is another key feature. The system uses a structured dataset of sign language animations, enabling fast retrieval and clear display of gestures. This reduces communication delays and minimizes reliance on human interpreters. Overall, the implementation results demonstrate that the system provides a practical, efficient, and scalable solution for assistive communication. The integration of speech recognition, NLP, and visual representation significantly enhances accessibility and promotes inclusivity in everyday interactions.

## **CONCLUSION**

The proposed Speech-to-Sign Language Translation System effectively reduces communication barriers faced by individuals with hearing impairments by integrating Artificial Intelligence (AI), Automatic Speech Recognition (ASR), and Natural Language Processing (NLP). The system converts speech into real-time sign language using animated avatars, ensuring accurate, efficient, and user-friendly communication while reducing dependency on human interpreters. It enhances accessibility and enables seamless interaction across various domains such as education, healthcare, workplaces, and public services. The use of advanced AI models ensures context-aware translation and continuous improvement through learning mechanisms, making the system scalable, reliable, and adaptable to different environments. Overall, it promotes inclusivity and serves as an effective assistive communication solution, with strong potential for future enhancements such as multilingual support, expanded sign language datasets, and improved gesture accuracy for wider adoption.



## REFERENCES

1. Deepa, R., Karthick, R., Velusamy, J., & Senthilkumar, R. (2025). Performance analysis of multiple-input multiple-output orthogonal frequency division multiplexing system using arithmetic optimization algorithm. *Computer Standards & Interfaces*, 92, 103934.
2. Senthilkumar, Dr.P.Venkatakrishnan, Dr.N.Balaji, Intelligent based novel embedded system based IoT Enabled air pollution monitoring system, *ELSEVIER Microprocessors and Microsystems* Vol.77, June 2020
3. M. Muthalakshmi, N.Mythili, Gurkirpal Singh, R.Senthilkumar (2025). Innovative Approaches for Evaluating Sugarcane Quality: Utilizing Near-Infrared Spectroscopy to Forecast Brix, Pol, and Fiber Content in Commercial Agricultural Domains. *Journal of Food Processing*, Wiley, <https://doi.org/10.1111/jfpe.70233>
4. Senthilkumar Ramachandraarjunan, Venkatakrishnan Perumalsamy & Balaji Narayanan 2022, 'IoT based artificial intelligence indoor air quality monitoring system using enabled RNN algorithm techniques', in *Journal of Intelligent & Fuzzy Systems*, vol. 43, no. 3, pp. 2853-2868
5. N. Nagarani, M. Muthalakshmi, E. S. Vinothkumar and R. Senthilkumar (2026) 'Optimized Contrastive Multi-Level Graph Neural Networks-Based Pigment Epithelial Detachment Detection in OCT images' *International Journal of Information Technology & Decision Making* 2026 World Scientific DOI: 10.1142/S0219622026500343
6. Sanitha P C; Syed Nageena Parveen; Shaik Thaherbasha; M. Shanmugapriya; T. Kalaivani; R. Senthilkumar, Transparent Nutrition: An Explainable AI-based Diet Tracking System for Preventing Nutrition-Related Disorders. 2025 3rd International Conference on Intelligent Cyber Physical Systems and Internet of Things (ICoICI) DOI: [10.1109/ICoICI65217.2025.11252549](https://doi.org/10.1109/ICoICI65217.2025.11252549)
7. T. Jayasri; M.R. Archana Jenis; P.B. Aswathy; S. Manoranjitham; Christo George; R. Senthilkumar Identity-First Defense in Zero Trust Security Architecture to Protect Cyberspace 3rd International Conference on Intelligent Cyber Physical Systems and Internet of Things (ICoICI) DOI: [10.1109/ICoICI65217.2025.11254505](https://doi.org/10.1109/ICoICI65217.2025.11254505)
8. J. Uthayakumar; Swapna; A. Ravikumar; S. Sreeraj; R. Senthilkumar; Babu Pandipati AI-Driven Water Resource Management Systems 2025 2nd International Conference on Computing and Data Science (ICCDs) DOI: [10.1109/ICCDs64403.2025.11209318](https://doi.org/10.1109/ICCDs64403.2025.11209318)
9. R.Swathiramy; V.V.Karthikeyan; P.Sumathi; Sruthy K V; Afreen Hussain; R.Senthilkumar Multimodal Machine Learning Models for Intelligent Interpretation of Text, Image and Audio Inputs 2025 5th International Conference on Emerging Research in Electronics, Computer Science and Technology (ICERECT) DOI: [10.1109/ICERECT65215.2025.11377322](https://doi.org/10.1109/ICERECT65215.2025.11377322)



10. Srinju.M; Dr.V.Dhanasekaran; S. Guruprasath; Dr.K.Edison Prabhu; K.J Godlin Debby; Dr.R.Senthilkumar AI-Based Recommendation System for Weight Management Using User Feedback and Health Metrics 2025 5th International Conference on Emerging Research in Electronics, Computer Science and Technology (ICERECT) DOI: [10.1109/ICERECT65215.2025.11379842](https://doi.org/10.1109/ICERECT65215.2025.11379842)